

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME XX

Α

Acanthis linaria linaria, 129 Accipiter cooperi, 18, 40, 127 velox, 127 Aegialitis semipalmata, 185 Aeronautes melanoleucus, 103 Agelaius phoeniceus nevadensis, 72 phoeniceus phoeniceus, 41, 186, 214 tricolor, 18 Aimophila ruficeps eremoeca, 42, 212 Aix sponsa, 91 Ajaia ajaja, 79 Albatross, Black-footed, 179, 180 Aluco pratincola, 40 Ammodramus savannarum bimaculatus, 42 Amphispiza belli belli, 190 bilineata bilineata, 42 bilineata deserticola, 23 Anas platyrhynchos, 75 Anderson, R. M., and Taverner, P. A., review of their "summary report of the geological survey of Canada, 1916", Anhinga, 38 Anhinga anhinga, 38 Anser albifrons albifrons, 85 Anthus rubescens, 45 spraguei, 24 Antrostomus carolinensis, 41 vociferus macromystax, 22 Aphelocoma californica californica, 12, 18, 71, 117 californica immanis, 190 californica obscura, 60 sieberi arizonae, 21 texana, 212 Aphriza virgata, 85 Aquila chrysaetos, 72, 191 Archibuteo ferrugineus, 127 lagopus sancti-johannis, 91 Archilochus alexandri, 21, 41, 46 Ardea herodias herodias, 18, 185 Ardetta exilis, 39 Asio flammeus, 101, 125, 127 wilsonianus, 127 Astragalinus psaltria hesperophilus, 16 tristis salicamans, 16 Astur atricapillus, 141 Asyndesmus lewisi, 18 Auklet, Cassin, 180 Paroquet, 85

Auriparus flaviceps flaviceps, 43

В

Baeolophus atricristatus sennetti, 43 wollweberi, 21 Bailey, Florence Merriam, a return to the Dakota Lake region, 24, 64, 110, 132, 170 Baldpate, 123 Belding, Lyman, death notice, 47; photo of, 50 Bergtold, W. H., review of his "a study of the incubation periods of birdswhat determines their length?", 95 Bittern, American, 28, 35, 75, 112, 136 Least, 39 Blackbird, Brewer, 72 Nevada Red-wing, 72 Red-winged, 18, 31, 41, 64, 65, 186 Tricolored, 18 Yellow-headed, 34, 69 Bluebird, 44 Western, 16, 18, 71 Bobolink, 34, 68, 112, 113 Bob-white, Texas, 39 Bombycilla cedrorum, 186 Bonasa umbellus, 185 Botaurus lentiginosus, 75 Bowles, J. H., northern owls again visit Washington, 45; two more records for the widgeon in Washington and other notes, 93 Brachyramphus marmoratus, 184 Bradbury, William C., notes on the nesting habits of the white-throated swift in Colorado, 103; notes on the nesting of the mountain plover, 157; nesting of the rocky mountain jay, 197 Branta canadensis, 185 Bryant, Harold C., evidence on the food of hawks and owls in California, 126; a new bird for Catalina Island, 193 Bubo virginianus pacificus, 125, 127 virginianus pallescens, 40 virginianus saturatus, 45 Bunting, Indigo, 23, 24 Lazuli, 19, 23, 212 Painted, 42, 191 Bush-tit, Lead-colored, 170 Buteo borealis calurus, 40, 72, 127, 191 borealis krideri, 214 lineatus alleni, 40 swainsoni, 191 Butorides virescens anthonyi, 169

virescens virescens, 39

Cooper Ornithological Club, directory of members, 147; minutes of, 99, 144, 194 Calcarius ornatus, 87 Coot, American, 8, 32, 35, 36, 39, 92, 170, 193 Callipepla squamata castanogastris. 39 Cormorant, Brandt, 85 Calypte anna, 16, 18, 123 Corvus brachyrhynchos, 140 costae, 21, 114, 168 caurinus, 186 Camptostoma imberbe, 212 corax, 186 Cardellina rubrifrons, 168 Cory, Charles B., review of his "catalogue Cardinal, Gray-tailed, 42 of birds of the Americas and adjacent Cardinalis cardinalis canicaudus, 42 islands in Field Museum of Natural Carpenter, Nelson K., observations in a History", 143 swallow colony, 90; an odd nest of the Cowbird, Dwarf, 41, 211 song sparrow of Los Coronados Isl-Creeper, Rocky Mountain, 199 ands. 124 Sierra, 76 Carpodacus cassini, 71 Crossbill, Bendire, 22, 24 mexicanus frontalis, 15 White-winged, 85 Catbird, 28, 30 Crow. American, 27, 30, 34, 140, 170, 172 Catharista urubu, 24, 40 Northwest, 186 Cathartes aura septentrionalis, 40 Cryptoglaux acadica brooksi, 144 Catherpes mexicanus conspersus, 43, 168 Cuckoo, Yellow-billed, 41, 136 Centurus carolinus, 24 Cyanocephalus cyanocephalus, 74, 190 aurifrons, 41 Cyanocitta stelleri, 186 Cepphus columba, 184 stelleri diademata, 168 Certhia familiaris zelotes, 76 stelleri frontalis, 16, 76 Ceryle alcyon, 186 Cyanolaemus clemenciae bessophilus, 181 alcyon caurina, 72 clemenciae clemenciae, 181 americana septentrionalis, 41 Cyanospiza ciris, 42, 191 Chaemepelia pallescens pallescens, 169 Chaetura vauxi, 16, 18 Chapman, Frank S., review of his "the dis-Dafila acuta, 77 tribution of bird life in Colombia", 95 Davis, John M., long waits for sets of the Chat, Yellow-breasted, 43 winter wren, 190 Chen rossi, 24 Dendragapus obscurus, 185 Chickadee, Chestnut-backed, 186 obscurus sierrae, 45 Mountain, 13, 16, 21, 71, 72, 73, 76, 97, Dendroica aestiva brewsteri, 15, 19 199 aestiva sonorana, 168 Oregon, 61 Plumbeous, 43 auduboni auduboni, 16, 22, 70, 189 Chicken, Prairie, 30, 110, 132, 134 auduboni nigrifrons, 22 chrysoptera, 43 Chondestes grammacus strigatus, 42, 190 Chordeiles acutipennis texensis, 41, 96 graciae, 168 virginianus henryi, 22 nigrescens, 46 virginianus hesperis, 24, 73 Dice, Lee R., notes on the nesting of the Chuck-wills-widow, 41 redpoll, 129 Cinclus mexicanus unicolor, 13, 70 Dickcissel, 42 Circus hudsonius, 18, 40, 127 Diomedea nigripes, 179 Clangula islandica, 3 Dove, Inca, 40, 169 Coccyzus americanus americanus, 41 Mexican Ground, 169 Coeligena clemenciae, 168 Mourning, 109, 113, 169, 176 Colaptes auratus, 186 Western Mourning, 39 auratus cafer, 216 White-winged, 169 auritus cafer, 142 cafer collaris, 72 Dowitcher, Long-billed, 85 Dryobates pubescens glacialis, 85 chrysoides, 169 pubescens homorus, 22 Colinus virginianus texanus, 39 pubescens turati, 16 Columba fasciata fasciata, 15, 45, 185 scalaris bairdi, 41 Colymbus dominicus brachypterus, 38 scalaris cactophilus, 169

villosus, 186

villosus hyloscopus, 16, 86, 169

villosus leucothorectis, 86

villosus orius, 71, 86

holboelli, 93, 184

Communication, 213

nigricollis californicus, 16, 18, 38

Contopus pertinax pallidiventris, 167, 168

richardsoni richardsoni, 168

Fulica americana, 39, 92, 193

Du Bois, A. D., an albino magpie, 189; a G late nest of Swainson hawk, 191 Gadwall, 27 Duck, Golden-eye, 134, 135 Gallinago delicata, 74, 85 Ring-necked, 24 Gallinula galeata, 39 Ruddy, 19, 37, 39, 170, 171 Gallinule, Florida, 39 Wood, 34, 56, 91 Purple, 39 Dwight, Jonathan, review of his "the geo-Gavia immer, 184 graphical distribution of color and of pacifica, 24 other variable characters in the genus Geococcyx californianus, 40 Junco: a new aspect of specific and Geothlypis beldingi, 57, 60 subspecific values", 142 trichas occidentalis, 16, 169 trichas sinuosa, 62 E Glaucidium gnoma californicum, 18, 86, 127 gnoma pinicola, 86 Eagle, Bald, 185 Gnatcatcher, Blue-gray, 44 Golden, 72, 191, 212 Western, 19 Harpy, 78 Goelitz, Walter A., the short-eared owl in Editorial notes and news, 47, 94, 128, 140, Saskatchewan, 101 194. 213 Golden-eye, 3, 27, 177 Empidonax fulvifrons pygmaeus, 168 Barrow, 3 hammondi, 18 Goldfinch, 136, 176 trailli trailli, 168, 211 Green-backed, 16 wrighti, 78 Willow, 16 Ereunetes mauri, 185 Goose, Blue, 56 Erismatura jamaicensis, 19, 39 Canada, 44, 71, 75, 185 Eugenes fulgens, 168 Ross Snow, 24 Euphagus cyanocephalus, 72 White-fronted, 85 Goshawk, 216 Western, 141 F Grackle, Bronzed, 42 Great-tailed, 42 Falco mexicanus, 127 Grebe, American Eared, 16, 18, 38, 136, 196 sparverius sparverius, 73, 127 Holboell, 171, 175, 184 Falcon, Prairie, 127, 195 Horned, 93 Finch, Cassin Purple, 71, 78 Mexican, 38 Gray-crowned Rosy, 76 Pied-billed, 189 House, 15 Fisher, Walter K., in memoriam: Lyman Grey, Henry, wood duck at San Diege, 91; wood ibis at San Diego, 126 Belding, 51 Grinnell, H. W., review of T. Gilbert Pear-Flicker, 27, 35, 176, 186 son's "the bird study book", 48 Gilded, 169 Grinnell, Joseph, the status of the white-Hybrid, 142, 216 rumped petrels of the California coast, 56; seven new or noteworthy Red-shafted, 72, 73, 74 Flycatcher, Arizona Crested, 22, 168 birds from east-central California, 86; Arkansas, 18 the name of the American barn swal-Ash-throated, 41, 168 low, 92; review of W. H. Bergtold's "a Beardless, 212 study of the incubation periods of birds-what determines their length?", Buff-breasted, 168 95; review of "Birds of America", Coues, 21, 167, 168 97; review of Robert Cushman Mur-Crested, 41 phy's "Natural history observations Gray, 44 from the Mexican portion of the Colo-Hammond, 18 rado desert", 97; extension of the Olivaceous, 168 known distribution of some northern Olive-sided, 21, 46 California birds, 190; the Virginia Scissor-tailed, 41, 212 warbler in California, 193 Sulphur-bellied, 168 Grosbeak, Black-headed, 14, 19 Traill, 168, 211, 212 Evening, 45 Vermilion, 41, 167 Western Blue, 169 Wright, 77, 78 Western Evening, 71, 168 Fringilla crissalis, 117 Grouse, Blue, 185 Ruffed, 185

Sierra, 45 breeding birds of Bexar County, Tex-Guara rubra, 78 as. 37 Guiraca caerulea lazula, 169 Howell, A. B., review of E. R. Kalmbach's caerulea salicarius, 92 "the crow and its relation to man", Gull, Bonaparte, 27, 77, 85 Franklin, 27, 175, 177, 178, 192 Hummingbird, Allen, 146 Glaucous-winged, 184 Anna, 16, 18, 75 Heermann, 122, 145, 185, 187 Black-chinned, 21, 41, 46 Blue-throated, 168 Herring, 184 Broad-tailed, 21, 87, 168 Short-billed, 184 Calliope, 16, 70, 74 Swallow-tailed, 116 Costa, 21, 114, 168, 196 Western, 124 Rivoli, 168 Rufous, 146, 186 н Hunt, Richard, the tragical addition of a new bird to the Campus list, 125 Haliaeetus leucocephalus, 185 Hydranassa tricolor ruficollis, 39 Hanna, Wilson C., nesting notes from the Hylocichla aonalaschkae auduboni, 61 San Bernardino Valley, 126; first ocguttata auduboni, 89 currence of the dwarf cowbird in the guttata polionota, 89 San Bernardino Valley, California, 211 guttata sequoiensis, 24, 89 Hansen, Harold E., two midwinter records guttata slevini. 192 for San Francisco County, California, ustulata oedica, 61 ustulata swainsoni, 89 Hansen, Harold E., and Squires, Walter A., ustulata ustulata, 192 the destruction of birds at the lighthouses on the coast of California, 6 Hasselborg, Allen E., bird notes from Admiralty Island, southeastern Alaska, Ibis, Scarlet, 78 White-faced Glossy, 39 Hawk, American Sparrow, 73, 127 Wood, 126 Cooper, 18, 40, 127 Icteria virens virens, 43 Florida Red-shouldered, 40 Icterus bullocki, 42, 170 Harris, 40, 212 cucullatus nelsoni, 170 Marsh, 18, 30, 35, 40, 111, 113, 127, 132, parisorum, 22, 170 Ingersoll, A. M., second occurrence of Wil-134 Pigeon, 185 son plover in California, 187 Red-tailed, 107 Ionornis martinica, 39 Rough-legged, 91 Iridoprocne bicolor, 42, 71, 85 Sennett White-tailed, 212 Sharp-shinned, 127 Swainson, 191 Jaeger, Long-tailed, 85 Western Red-tailed, 72, 127, 191 Jay, Arizona, 21 Heleodytes brunneicapillus couesi, 43, 189 Belding, 60, 98 Hen, Heath, 146 Blue-fronted, 16, 76 Henshaw, F. W., some pugnacious coots, 92 California, 12, 18, 71, 98 Heron, Anthony Green, 169 Black-crowned Night, 28, 29, 35, 39, 171, Canada, 186, 206, 208 Long-crested, 168 172 Long-tailed, 190 Great Blue, 18, 185 Oregon, 83 Green, 39 Pinyon, 74, 190, 201 Louisiana, 39 Rocky Mountain, 197 Hesperiphona vespertina californica, 45 Steller, 186 vespertina montana, 71, 168 Texas, 212 Heterorhynchus olivaceus, 114 Woodhouse, 71 Himantopus mexicanus, 126 Xantus, 98 Hirundo erythrogaster, 92 Junco, Arizona, 168 rustica, 92

rustica erythrogaster, 92

Holleman, Ridley, and Quillin, Roy W., the

rustica palmeri, 92

Red-backed, 21, 22, 23

Sierra, 76, 189

Thurber, 15

Junco annectens, 142 Longspur, Chestnut-collared, 87, 113 bairdi, 57 Loon, Common, 184 dorsalis, 142 Pacific, 24 hyemalis connectens, 84, 142 Loxia curvirostra bendirei, 22, 24 hyemalis hyemalis, 142 curvirostra stricklandi, 22 hyemalis montanus, 142 leucoptera, 85 hyemalis thurberi, 15 Lunda cirrhata, 178 oreganus couesi, 142 М oreganus shufeldti, 84, 142 oreganus thurberi, 76, 189 Macrorhamphus griseus scolopaceus, 85 phaeonotus dorsalis, 22 Magpie, American, 72, 176, 189 phaeonotus palliatus, 23, 168 Mailliard, Joseph, early autumn birds in ridgwayi, 142 Yosemite Valley, 11; additional records of the European widgeon in California, 122; the Yolla Bolly fox spar-Kalmbach, E. R., review of his "the crow row, 138; new records for some of the and its relation to man", 140 islands off the coast of southern Cali-Killdeer, 30, 35, 39, 66, 69 fornia, 189; when the thrushes cease Kingbird, 27, 30, 34, 44, 111, 172, 177 from singing, 192 Arkansas, 34, 176, 190 Mallard, 33, 35, 37, 67, 75, 133, 191 Cassin, 168, 169 Mareca americana, 188 Kingfisher, 186 penelope, 93, 122, 187, 192 Texas, 41 Marila collaris, 24 Western Belted, 72, 73 Martin, Purple, 42, 47, 61, 93, 132, 136 Kinglet, 186 Meadowlark, Western, 34, 61, 68, 69, 100, 112, Sitka, 85 134 Western Golden-crowned, 24 Megalestris skua, 179 Western Ruby-crowned, 72, 77, 78 Megaquiscalus major macrourus, 42 Kirn, A. J., supposed new record for central Melanerpes erythrocephalus, 122 Kansas, 191 formicivorus bairdi, 16 Kitchin, E. A., the rough-legged hawk in Meleagris gallopavo intermedius, 212 western Washington, 91 Melopelia asiatica, 169 Melospiza lincolni lincolni, 17, 189 lincolni striata, 17, 18 Lanius borealis, 61 ludovicianus, 209 melodia clementae, 124 ludovicianus anthonyi, 209 melodia cooperi, 126 melodia fisherella, 17, 18, 45, 126 ludovicianus gambeli, 209 ludovicianus mearnsi, 209 melodia melodia, 214 melodia rufina, 186 ludovicianus mexicanus, 209 ludovicianus nelsoni, 209 melodia saltonis, 126 Lanivireo solitarius, 141 Merganser, American, 70, 73, 185 solitarius cassini, 19 Mergus americanus, 70 Miller, Loye, the eastern kingbird in Calisolitarius plumbeus, 168 Lark, Horned, 69 fornia again, 44; a surprising trait in the black-necked stilt, 126; the Kaed-Yuma Horned, 146 ing petrel in California, 211; first Larus argentatus, 184 flights of a young golden eagle, 212 brachyrhynchus, 184 franklini, 192 Mimus polyglottos leucopterus, 190 polyglottos polyglottos, 43 glaucescens, 184 heermanni, 122, 185, 187 Mockingbird, 43, 190 Molothrus ater obscurus, 41, 211 philadelphia, 77, 85 Munro, J. A., the Barrow golden-eye in the Leopold, Aldo, do purple martins inhabit Okanagan Valley, British Columbia, 3; bird boxes in the west?, 93; are redreview of his "report of field work in headed woodpeckers moving west?, Okanagan and Shuswap districts in 122 1916", 48 Litsey, John B., an eastern record for the Murphy, Robert Cushman, review of his Townsend solitaire, 44

Littlejohn, Chase, lesser yellow-legs and pec-

California, 44

toral sandpiper in San Mateo County,

"natural history observations from the

Mexican portion of the Colorado des-

ert", 97

Murre, California, 178	Ouzel, Water, 13, 70, 78
Murrelet, Marbled, 98, 184	Owl, Aiken Screech, 24
Muscivora forficata, 41, 212	Barn, 40
Myadestes townsendi, 44	Burrowing, 30, 40, 176
Mycteria americana, 126	California Pigmy, 18
Myiarchus cinerascens cinerascens, 41, 168	California Screech, 127
crinitus, 41	Dusky Horned, 45
lawrencei olivascens, 168	Flammulated, 58
magister magister, 22, 168	Horned, 191
Myiochanes pertinax pallidiventris, 21	Long-eared, 127, 134, 195
richardsoni richardsoni, 46, 96	Pacific Horned, 125, 127, 195
Myiodynastes luteiventris, 96, 168	Pigmy, 58, 127
N ·	Rocky Mountain Pigmy, 86
	Screech, 185
Nannus hiemalis, 186	Short-eared, 101, 112, 113, 125, 127
hiemalis pacificus, 190	Snowy, 45, 93, 193
Nettion carolinensis, 185	Southern California Screech, 127
Nighthawk, Pacific, 24, 73, 78	Texas Barred, 40
Texas, 41	Western Barred, 58
Nutcracker, Clarke, 199, 202	Western Horned, 40
Nuthatch, Canada, 46	Oxyechus vociferus, 39
Inyo Slender-billed, 88	P
Pigmy, 21, 73	•
Red-breasted, 12, 16	Palmer, T. S., Costa's hummingbird—its
Rocky Mountain, 2	type locality, early history and name,
Slender-billed, 75	114; another reference to early exper-
White-breasted, 176	iments in keeping hummingbirds in
Nuttallornis borealis, 46	captivity, 123; Pacific coast records
Nyctea nyctea, 45, 93, 193	of the European widgeon, 187
Nycticorax nycticorax naevius, 39	Parabuteo unicinctus harrisi, 40, 212
•	Parrot, Thick-billed, 100
0	Partridge, Chestnut-bellied, 39
Oberholser, Harry C., description of a new	Parus montanus, 61
subspecies of Cyanolaemus clemen-	Passer domesticus, 42
ciae, 181; description of a new Lanius	Passerculus alaudinus, 123
from Lower California, 209	beldingi, 57, 60
Oceanodroma beldingi, 60	sandwichensis nevadensis, 17, 18
furcata, 180	Passerella iliaca brevicauda, 139
leucorhoa beali, 46	iliaca megarhyncha, 75
leucorhoa beldingi, 46	iliaca stephensi, 138, 139
leucorhoa kaedingi, 46, 211	Passerina amoena, 19, 23, 212
leucorhoa leucorhoa, 46	cyanea, 23, 24
Ochthodromus wilsonius wilsonius, 187	Pearson, T. Gilbert, review of his "the bird
Oidemia americana, 85	study book", 48
deglandi, 185	Pelican, California Brown, 124
Olor columbianus, 93	White, 29, 47
Oporornis formosus, 43	Penthestes carolinensis agilis, 43
tolmiei, 17, 76	gambeli gambeli, 13, 21, 71
Oreortyx picta plumifera, 61	rufescens, 186
Oreospiza chlorura, 15, 73	Perisoreus canadensis, 186
Oriole, Arizona Hooded, 170	canadensis capitalis, 197
Baltimore, 176	obscurus griseus, 84
Bullock, 42, 170	obscurus obscurus, 83
Scott, 22, 170	obscurus rathbuni, 83
Ornismya costae, 114	Petrel, Belding, 60
Otus asio aikeni, 24	Fork-tailed, 180
asio bendirei, 127	Kaeding, 211
asio kennicotti, 185	Petrochelidon lunifrons lunifrons, 42, 91
asio mccalli, 40	Peucaea cassini, 42
asio quercinus, 127	Peucedramus olivaceus, 168

Pewee, Western Wood, 46, 96, 168 Wood, 176	Progne subis subis, 42, 93 Psaltriparus minimus, 117
Peyton, Laurence, large sets of eggs of the	plumbeus, 170
western red-tailed hawk, 191	Ptarmigan, 185
Phainopepla, 193	Ptychorhamphus aleuticus, 180
Phainopepla nitens, 193	Puffin, Tufted, 178, 180
Phalacrocorax dilophus albociliatus, 57	Puffinus creatopus, 85, 178
penicillatus, 85	fuliginosus, 178
Phalaenoptilus nuttalli californicus, 144	griseus, 185
nuttalli nuttalli, 41	Pyrocephalus rubinus mexicanus, 41, 167
Phalarope, Northern, 192	Pyrrhuloxia, Arizona, 169
Red, 192	Texas, 42
Wilson, 44, 65	Pyrrhuloxia sinuata sinuata, 169
Phalaropus fulicarius, 192	sinuata texana, 42
Phaleris psittacula, 85	Silitata texalia, 12
Phloeotomus pileatus, 186	Q
pileatus abieticola, 13	Quail, Mountain, 56, 61
pileatus picinus, 45	Querquedula cyanoptera, 38
	Quillin, Roy W., and Holleman, Ridley, the
Phoebe, 41	
Black, 14, 190	breeding birds of Bexar County, Tex
Pica pica hudsonia, 72, 189 Pierce, Wright M., Salton Sink song spar-	as, 37 Quiscalus quiscula aeneus, 42
row at Oro Grande, California, 126	Quiscarus quiscura aeneus, 42
Pigeon, Band-tailed, 15, 45, 185	R
Pintail, 30, 32, 33, 34, 35, 77, 123	Doil Dolding 60
	Rail, Belding, 60
Pipilo aberti, 169	Sora, 31, 64, 65, 69
crissalis, 117	Rallus beldingi, 58, 60
crissalis carolae, 118, 119	Raven, 107, 186
crissalis crissalis, 118, 119, 139	Ray, Milton S., six weeks in the high Sierras
crissalis senicula, 118, 119	in nesting time, 70
erythrophthalmus alleni, 23 erythrophthalmus erythrophthalmus, 23	Redhead, 5, 26
	Redpoll, 129 Redstart, Painted, 21, 168
fuscus, 117	and the second s
fuscus carolae, 118	Red-tail, Western, 40
fuscus mesoleucus, 169	Regulus calendula cineraceus, 72
fuscus senicula, 117	calendula grinnelli, 85
maculatus, 83, 117	satrapa olivaceus, 24
maculatus curtatus, 87	Riparia riparia, 90
maculatus falcinellus, 15, 87	Roadrunner, 40
maculatus montanus, 87	Robin, 186
Pipit, 45, 98, 112	Western, 14, 168
Sprague, 24	Rough-leg, Ferruginous, 127, 136
Piranga hepatica, 21, 168	S
ludoviciana, 14, 21, 46, 168	Galminator abgolatus abgolatus 10 196
rubra cooperi, 169	Salpinotes obsoletus obsoletus, 19, 126
rubra rubra, 42	Sandpiper, Pectoral, 44
Pisobia maculata, 44	Spotted, 27, 136
Planesticus migratorius, 186	Western, 185
migratorius propinquus, 14, 168	Sapsucker, Red-breasted, 18
Plegadis guarauna, 39, 61	Sierra, 24 Sierra Red-breasted, 72, 73, 74
Plover, Mountain, 56, 109, 157	
Semipalmated, 185	Williamson, 45, 72, 73, 74, 76 Sayornis nigricans, 14, 190
Upland, 64, 112, 113	•
Wilson, 187	phoebe, 41
Podasocys montanus, 157, 163	Scardafella inca, 40, 169
Podilymbus podiceps, 189	Scaup, 3, 26 Schussler, George W., the salt-marsh yel
Polioptila caerulea caerulea, 44	lowthroats of San Francisco, 62
caerulea obscura, 19	Scoter, American, 85
Polyborus cheriway, 40	White-winged, 25, 132, 175, 185
Poor-will, 41	WHITE-WILLBOU, 20, 102, 110, 100

Selasphorus platycercus, 21, 87, 168 rufus, 13, 16, 123, 186	Sphyrapicus ruber ruber, 18 thyroideus thyroideus, 45, 72
Sell, R. A., the scarlet ibis in Texas, 78	varius daggetti, 24, 72
Setochalcis vocifera arizonae, 91	Spoonbill, 9
Setophaga picta, 21, 168	Roseate, 79
Shearwater, 185	Squires, Walter A., and Hansen, Harold E.
Pink-footed, 85, 178	the destruction of birds at the light
Sooty, 178	houses on the coast of California, 6
Shoveller, 27, 30, 31, 32, 33, 34, 38, 67	Stellula calliope, 16, 70
Sialia mexicana occidentalis, 16, 18, 71	Stephens, Frank,—an autobiography, 164
sialis sialis, 44	Stercorarius longicauda, 85
Sitta canadensis, 12, 46	Sterna hirundo, 180
carolinensis aculeata, 75, 88	paradisaea, 85
carolinensis nelsoni, 21, 88	Stilt, Black-necked, 126
carolinensis tenuissima, 88	Strix varia helveola, 40
pygmaea leuconucha, 58	Surf-bird, 85
pygmaea pygmaea, 21, 73	Swallow, American Barn, 34, 37, 68, 92
Skua, 179, 180	Bank, 90
Smith, Austin Paul, September notes from	Cliff, 52, 71, 72, 73, 75, 76, 91, 105, 109
Keddie, Plumas County, California, 45;	Tree, 71, 85
whip-poor-will in New Mexico, 91;	Violet-green, 105
some Texas bird notes, 212	Swan, Whistling, 93
Snipe, Wilson, 74, 85, 136	Swarth, H. S., notes on some birds from
Solitaire, Townsend, 44, 57	central Arizona, 20; review of J. A.
Sora, 67, 136, 170	Munro's "report of field work in Oka-
Sparrow, Baird, 98	nagan and Shuswap districts in
Belding Marsh, 60	1916", 48; the subspecies of the Ore
Bell, 98, 190	gon Jay, 83; review of Frank S. Chap-
Black-chinned, 22, 42	man's "distribution of bird life in
Brewer, 17, 18	
Cassin, 42	Colombia", 95; the distribution of the subspecies of the brown towhee
Clay-colored, 25, 28, 68, 112, 176	
Desert, 23	(Pipilo crissalis), 117; review of P. A.
English, 42	Taverner and R. M. Anderson's "sum-
Forbush, 17, 18	mary report of the geological survey
Gambel, 15, 16, 18	of Canada", 141; review of Jonathan
Harris, 24	Dwight's "the geographical distribu-
Lincoln, 17, 189	tion of color and of other variable
Modoc Song, 18, 45, 126	characters in the genus Junco: a new
Nelson, 64, 67	aspect of specific and subspecific val-
Nevada Savannah, 17, 18	ues", 142; review of Charles B. Cory's
Rock, 42, 212	"catalogue of birds of the Americas
Rufous-crowned, 98	and adjacent islands in Field museum
Salton Sink Song, 126	of natural history", 143
San Diego Song, 126	Swift, Chimney, 176
Savannah, 34, 67, 112	Vaux, 16, 18
Song, 28, 69, 176, 186	White-throated, 16, 103, 196
Stephens Fox, 138	
Thick-billed, 61, 75, 77	Т
Vesper, 69, 70, 112	
Western Chipping, 15, 16, 189	Tachytriorchis albicaudatus sennetti, 212
Western Grasshopper, 42	Tanager, Cooper, 169
Western Lark, 42, 190, 212	Hepatic, 21, 168
White-crowned, 15, 61	Summer, 42
Yolla Bolly Fox, 138	Western, 14, 21, 46, 168, 196
Spatula clypeata, 38 Speotyto cunicularia hypogaea, 40	Taverner, P. A., and Anderson, R. M., re-
	view of their "summary report of the
Spiza americana, 42	geological survey of Canada for
Spizella atrogularis, 22	1916", 141
breweri, 17	Taverner, P. A., some summer birds of Alert

Bay, British Columbia, 183; Heermann	Western Warbling, 16, 19, 168
Gull with white primary coverts, 187;	White-eyed, 43
trinomials and current practice, 213	Vireo atricapillus, 212
Taylor, Henry Reed, death notice, 47	belli belli, 43
Teal, Blue-winged, 31, 65, 67	belli medius, 212
Cinnamon, 38, 123	belli pusillus, 211
Green-winged, 185	griseus griseus, 43 Vireosylva gilva swainsoni, 16, 19, 168
Tern, Arctic, 85	Vulture, Black, 24, 38, 40
Black, 32, 111, 112, 113, 175	Turkey, 38, 40
Common, 180	
Thrasher, Curve-billed, 43	W
Pasadena, 126	Walker, Alex, corrections, 44
Thrush, Big Tree, 59	
Dwarf Hermit, 145	Warbler, Audubon, 16, 22, 70, 74, 189
Monterey Hermit, 192	Black-throated Gray, 46
Russet-backed, 192	Calaveras, 17
Sierra Hermit, 24	California Yellow, 211
White Mountains Hermit, 89	Dusky, 189
Thryomanes bewicki, 83	Golden-Cheeked, 43
bewicki cryptus, 43	Golden Pileolated, 19
Thryothorus ludovicianus ludovicianus, 43	Grace, 168
Titmouse, Bridled, 21	Kentucky, 43
Plain, 98	Lucy, 98, 168
Sennett, 43	Lutescent, 16, 17, 18
Totanus flavipes, 44	Macgillivray, 17
Towhee, Abert, 97, 169	Olive, 168
California Brown, 97, 117	Red-faced, 21, 98, 168
Canyon, 117, 169	Sonora Yellow, 168
Green-tailed, 15, 73, 77	Tolmie, 76
Mountain, 87	Virginia, 168, 193
	Yellow, 15, 19, 30, 172, 176
Sacramento, 15	Warburton, Stanley, Jr., some oceanic birds
Spotted, 83	from off the coast of Washington and
Toxcstoma curvirostre curvirostre, 43	Vancouver Island, 178; late snowy owl
redivivum pasadenense, 126	dates, 193
Trochilus topiltzin, 181	Waxwing, Cedar, 186
Troglodytes aedon parkmani, 19, 75, 168	Wetmore, Alexander, a note on the tracheal
Turdus sequoiensis, 59	air-sac in the ruddy duck, 19
Turkey, Rio Grande, 212	Whip-poor-will, Stephens, 22, 91
Tyrannus tyrannus, 44	Widgeon, American, 123
verticalis, 18, 170, 190	European, 93, 122, 187, 192
vociferans, 168, 170	Willard, F. C., evidence that many birds re-
U	main mated for life, 167
U	Willet, 34, 113
Uria troille californica, 178	Willett, George, bird notes from Forrester
Olia cionio camormos, 1.0	Island, Alaska, 85; a pecularity of
V	plumage in some specimens of the
	Heermann gull, 122
Verdin, 43, 98	Wilsonia pusilla chryseola, 19
Vermivora celata lutescens, 16, 18	Woodpecker, Baird, 41
celata sordida, 189	Batchelder, 22
luciae, 168	Cabanis, 16, 169
rubricapilla gutturalis, 17	Cactus, 169
virginiae, 168, 193	California, 16
Vireo, Bell, 43, 98	Golden-fronted, 41
Black-capped, 212	Hairy, 186
California Least, 211	Lewis, 18
Cassin, 19, 141	Modoc, 71, 72, 73, 76
Gray, 98	Northern Pileated, 13
Plumbeous, 168	Pileated, 45, 186
Warbling, 176	Red-bellied, 24

Red-headed, 26, 69, 122 Texas, 41 Valdez Downy, 85 White-breasted, 86 White-headed, 45 Willow, 16 Wren, Bewick, 83 Cactus, 43, 189 Canyon, 43, 98, 168 Carolina, 43 House, 28, 69, 136 Parkman, 75 Rock, 19, 126 Texas Bewick, 43 Western House, 19, 168 Western Winter, 190 Winter, 186 Wren-tit, 98 Wyman, L. E., notes from southern Califor-

nia, 192

Х

Xenopicus albolarvatus albolarvatus, 45

Υ

Yellowlegs, Lesser, 44 Yellowthroat, Belding, 60 Maryland, 25, 28, 34, 176 Salt-marsh, 62 Western, 16, 169

Z

Zamelodia melanocephala, 14, 19 Zenaidura macroura carolinensis, 169 macroura marginella, 39 Zonotrichia albicollis, 61 leucophrys gambeli, 15, 18 leucophrys leucophrys, 15 querula, 24